

Correction

In the article "Gene and Protein Expression Profiles of *Shewanella oneidensis* during Anaerobic Growth with Different Electron Acceptors," by Alex. S. Beliaev, Dorothea K. Thompson, Tripti Khare, Hanjo Lim, Craig C. Brandt, Guangshan Li, Alison E. Murray, John F. Heidelberg, Carol S. Giometti, John Yates III, Kenneth H. Nealson, James M. Tiedje, and Jizhong Zhou, appearing in Volume 6, Number 1, 2002, of *OMICS A Journal of Integrative Biology,* pages 39–60, the first sentence of the legend to Figure 2 was incorrect. The corrected legend appears below the figure on the next page.








FIG. 2. Two dimensional polyacrylamide gel electrophoresis of whole-cell lysates of *S. oneidensis* MR-1 grown in LB medium under fumarate-reducing **(A),** aerobic **(B),** Fe(III)- **(C),** and nitrate-reducing **(D)** conditions. Protein spots showing significant quantitative differences (at least p , 0.05) under aerobic, fumarate-, iron-, and nitrate-reducing conditions are denoted by arrows and numbers. Protein spots missing under aerobic conditions, but present under fumarate-, iron-, or nitrate-reducing conditions are indicated in parenthesis. The gel images are oriented with the isoelectric focusing dimension horizontal and the SDS-PAGE dimension vertical. The approximate pI is indicated along the horizontal axis. The approximate positions of the SDS-PAGE molecular mass standards are presented in kilodaltons along the vertical axis.

The authors regret any inconvenience this might have caused.